

how to write a systematic review article

how to write a systematic review article requires meticulous planning, rigorous execution, and adherence to established methodological standards. This comprehensive guide serves as an invaluable resource for researchers, students, and practitioners aiming to produce high-quality systematic reviews. We will delve into every critical stage, from formulating a precise research question and developing a robust protocol to conducting an exhaustive literature search, meticulously extracting and synthesizing data, and critically appraising the included studies. Understanding these systematic steps ensures the review's transparency, reproducibility, and ultimately, its utility in informing evidence-based decisions. By mastering the intricate process outlined herein, authors can confidently navigate the complexities of research synthesis, contributing significantly to their respective fields with authoritative and trustworthy evidence. This article will provide actionable insights and best practices to guide you through this academically demanding yet highly rewarding endeavor.

- Understanding Systematic Reviews
- Developing a Robust Protocol
- Conducting a Comprehensive Literature Search
- Screening and Selection of Studies
- Data Extraction and Synthesis
- Assessing Risk of Bias and Study Quality
- Reporting Your Systematic Review
- Challenges and Best Practices
- Final Considerations for Systematic Review Articles

Understanding Systematic Reviews

A systematic review stands as a cornerstone of evidence-based practice, offering a rigorous and transparent method to synthesize existing research evidence. Unlike traditional narrative reviews, which can be prone to bias due to selective reporting, systematic reviews employ explicit, predefined methods to identify, select, critically appraise, and synthesize relevant studies on a particular research question. This structured

approach minimizes bias and enhances the reliability and validity of the conclusions drawn.

The core objective of a systematic review is to provide a comprehensive and unbiased summary of the available literature on a specific topic. By pooling data from multiple studies, systematic reviews can often generate more precise estimates of treatment effects or associations than individual studies, thereby contributing significantly to clinical guidelines, policy decisions, and future research directions.

Understanding the fundamental principles behind systematic reviews is the first crucial step in learning how to write a systematic review article effectively.

What is a Systematic Review?

A systematic review is a type of literature review that collects and critically analyzes multiple research studies or papers. Its methodology is explicitly defined and reported, aiming to minimize bias and provide reliable findings on a specific topic. Key characteristics include a clear research question, a comprehensive search strategy, predefined eligibility criteria, systematic data extraction, critical appraisal of study quality, and synthesis of findings.

This scientific methodology ensures that all relevant studies, regardless of their findings, are considered, providing a balanced and complete picture of the evidence. It represents the highest level of evidence in the hierarchy of evidence, particularly when combined with a meta-analysis, which involves the statistical pooling of quantitative data from multiple studies.

Why Are Systematic Reviews Important?

Systematic reviews hold immense importance across various disciplines, particularly in healthcare, social sciences, and education. They provide a consolidated and reliable source of evidence for complex questions, helping researchers, policymakers, and practitioners make informed decisions. One primary benefit is their ability to reduce information overload by synthesizing vast amounts of research into manageable and actionable insights.

Furthermore, systematic reviews identify gaps in current research, highlight areas requiring further investigation, and can even resolve conflicting findings from individual studies. Their transparent and reproducible nature also builds trust in the presented evidence, making them an indispensable tool for advancing knowledge and promoting evidence-based practice. Mastering how to write a systematic review article empowers individuals to contribute to this critical body of knowledge.

Developing a Robust Protocol

The foundation of any successful systematic review is a meticulously developed and pre-registered protocol. This document serves as a detailed blueprint, outlining every step of the review process before the actual work begins. A well-constructed protocol is essential for transparency, minimizing bias, and ensuring the reproducibility of the review. It acts as a commitment to the review's methodology,

preventing post-hoc decisions that could unintentionally influence the outcomes.

Investing adequate time in protocol development not only streamlines the subsequent stages but also helps to identify potential challenges and refine strategies early on. This proactive approach is a hallmark of how to write a systematic review article with integrity and scientific rigor.

Formulating the Research Question (PICO/PICOS)

The research question is the central element of a systematic review and must be precise, focused, and answerable. A poorly defined question can lead to an unfocused search, irrelevant studies, and ultimately, ambiguous findings. A widely adopted framework for structuring research questions, particularly in health sciences, is PICO:

- **P (Population/Patient/Problem):** Who are you interested in?
- **I (Intervention):** What intervention, exposure, or prognostic factor are you considering?
- **C (Comparison):** What is the alternative or control intervention?
- **O (Outcome):** What are the effects or outcomes you are interested in?

For systematic reviews including observational studies, the PICOS framework (P=Population, I=Intervention/Exposure, C=Comparison, O=Outcome, S=Study Design) can be more appropriate. Clearly defining these components is crucial for guiding the search strategy and eligibility criteria, ensuring you select only the most relevant evidence to answer your specific question.

Defining Inclusion and Exclusion Criteria

Following the formulation of a clear research question, the next critical step is to establish precise inclusion and exclusion criteria. These criteria act as filters, determining which studies will be considered for your review and which will be discarded. They should directly align with your PICO/PICOS question and be detailed enough to be applied consistently by multiple reviewers.

Typical inclusion criteria might specify study design (e.g., randomized controlled trials, cohort studies), participant characteristics (e.g., age range, diagnosis), intervention details, comparison groups, outcome measures, and publication language or date range. Exclusion criteria are the inverse, clarifying reasons why a study would not be eligible, such as irrelevant population, lack of a specified outcome, or being a commentary rather than original research. Rigorous application of these criteria is vital for maintaining the scope and validity of the systematic review process.

Registering Your Protocol

Once the systematic review protocol is developed, it is highly recommended to register it in a publicly accessible database. Platforms such as PROSPERO (International Prospective Register of Systematic Reviews) are specifically designed for this purpose. Protocol registration offers several significant advantages:

1. It enhances transparency by making your planned methodology available for public scrutiny before the review commences.
2. It helps to prevent unintentional duplication of systematic reviews on the same topic, saving valuable research resources.
3. It reduces the risk of reporting bias by documenting your pre-specified objectives and methods, making it difficult to alter them post-hoc based on emerging findings.
4. It provides a timestamp, demonstrating that your methods were established before data collection and analysis.

Registering your protocol is a recognized best practice in how to write a systematic review article, lending credibility and rigor to your work.

Conducting a Comprehensive Literature Search

A hallmark of a systematic review is its comprehensive and unbiased literature search. The goal is to identify all relevant published and unpublished studies that meet the predefined eligibility criteria, minimizing the risk of publication bias and ensuring a balanced representation of the available evidence. This stage requires a strategic approach, a thorough understanding of various databases, and meticulous record-keeping.

A well-executed search is labor-intensive but crucial, as missing key studies can significantly alter the review's conclusions. Learning how to conduct an exhaustive literature search is fundamental to mastering how to write a systematic review article.

Selecting Databases and Search Platforms

To achieve comprehensive coverage, a systematic review's search strategy must involve multiple electronic databases and other sources. The choice of databases will depend on the specific research question and the discipline. For health-related topics, common databases include:

- PubMed/MEDLINE

- Embase
- Cochrane Central Register of Controlled Trials (CENTRAL)
- Web of Science
- Scopus
- PsycINFO (for psychological topics)
- CINAHL (for nursing and allied health)

Beyond these, it's also essential to search for grey literature (e.g., conference abstracts, dissertations, government reports) in specialized repositories and to manually check reference lists of included studies and relevant reviews. Clinical trial registries (e.g., ClinicalTrials.gov) should also be consulted for ongoing or unpublished studies. This multi-database approach helps to cast a wide net and capture a broad spectrum of relevant research.

Developing a Detailed Search Strategy

The development of a detailed and reproducible search strategy is a critical skill for anyone learning how to write a systematic review article. This strategy translates your PICO/PICOS elements into search terms, combining both controlled vocabulary (e.g., MeSH terms in PubMed) and free-text keywords. The process typically involves:

1. Identifying keywords and synonyms for each PICO element.
2. Using Boolean operators (AND, OR, NOT) to combine terms effectively. "OR" expands the search, while "AND" narrows it. "NOT" excludes specific terms.
3. Employing truncation (or \$), wildcards (?), and phrase searching ("") to enhance precision and recall.
4. Adapting the search strategy for each specific database, considering their unique indexing systems and syntax.
5. Conducting pilot searches to refine terms and assess the sensitivity and specificity of the strategy.

The final search strategy for each database must be fully documented in the review, usually in an appendix, to ensure reproducibility.

Managing Search Results

Once the extensive searches are completed across multiple databases, a large volume of results will likely be generated. Efficient management of these results is paramount to avoid errors and streamline the screening process. Specialized reference management software, such as EndNote, Zotero, Mendeley, or dedicated systematic review software like Covidence or Rayyan, is highly recommended.

These tools allow for:

- Importing search results from various databases.
- Detecting and removing duplicate records.
- Facilitating the title and abstract screening process by multiple reviewers.
- Keeping a transparent audit trail of included and excluded studies.

Effective management of search results is a foundational aspect of how to write a systematic review article efficiently and without overwhelming your research team.

Screening and Selection of Studies

After compiling all search results and removing duplicates, the next intensive phase involves screening studies against the predefined inclusion and exclusion criteria. This process typically occurs in two stages to maximize accuracy and minimize the potential for bias. It requires careful attention to detail and consistent application of the established criteria.

This stage is crucial for ensuring that only studies truly relevant to the research question are carried forward for data extraction and synthesis.

Two-Stage Screening Process

The screening and selection of studies for a systematic review typically follow a rigorous, two-stage process:

1. **Title and Abstract Screening:** In the first stage, two independent reviewers independently screen the titles and abstracts of all retrieved records against the inclusion/exclusion criteria. Studies that clearly do not meet the criteria are excluded at this stage. Any study that appears potentially relevant, or for which relevance cannot be determined from the title and abstract alone, is advanced to the next stage. Using two independent reviewers helps to reduce reviewer bias and errors.
2. **Full-Text Screening:** For all studies identified as potentially eligible in the first stage, their full-text

articles are retrieved. Again, two independent reviewers thoroughly assess each full-text article against the predefined criteria. This stage allows for a much deeper evaluation of whether a study truly meets all eligibility requirements. Detailed reasons for exclusion should be recorded for each full-text article that is rejected.

This systematic, multi-reviewer approach is fundamental to the rigor of how to write a systematic review article.

Resolving Discrepancies

Discrepancies inevitably arise during the independent screening process, whether at the title/abstract stage or the full-text review stage. A robust method for resolving these disagreements is essential for maintaining the integrity of the systematic review. Typically, discrepancies are resolved through a consensus discussion between the two independent reviewers.

If consensus cannot be reached, a third, independent senior reviewer or arbitrator is brought in to make the final decision. This systematic approach ensures that all screening decisions are carefully considered and justified, adhering to the principles of transparency and reproducibility inherent in how to write a systematic review article. All disagreements and their resolutions should be meticulously documented as part of the review process.

Data Extraction and Synthesis

Once the final set of eligible studies has been identified, the critical process of data extraction and synthesis begins. This stage involves systematically collecting relevant information from each included study and then combining these findings to answer the review's research question. The quality and thoroughness of data extraction directly impact the robustness of the synthesis.

Careful planning and execution are paramount to ensure consistency and accuracy in this complex phase of how to write a systematic review article.

Designing Data Extraction Forms

Before extracting data, a standardized data extraction form or template must be developed. This form ensures that relevant data are consistently collected from every included study and helps to prevent missing information. The design of the form should be tailored to the specific research question and the types of studies included.

Key information to include in a data extraction form typically encompasses:

- Study identification details (author, year, title, DOI).

- Study characteristics (study design, setting, country).
- Participant characteristics (sample size, demographics, inclusion/exclusion criteria specific to the study).
- Intervention details (type, duration, dose, delivery method).
- Comparison details.
- Outcome measures (definition, measurement tools, time points).
- Results data (e.g., means, standard deviations, confidence intervals, p-values, adverse events).
- Information relevant for risk of bias assessment.

Pilot testing the form on a few studies by all reviewers helps refine it and ensure clarity and consistency before full-scale extraction begins.

Performing Data Extraction

Similar to the screening process, data extraction should ideally be performed independently by at least two reviewers. This dual extraction minimizes errors and reduces the risk of bias. Reviewers will extract all pre-specified data points from each eligible study, populating the designed data extraction forms.

Any discrepancies between the two reviewers' extracted data must be resolved through discussion and, if necessary, with the involvement of a third reviewer. Maintaining an organized record of extracted data, perhaps using a spreadsheet or specialized software, is crucial. This meticulous approach ensures the accuracy and reliability of the data that will form the basis of the systematic review's findings.

Synthesizing Findings (Qualitative and Quantitative)

The synthesis of findings involves bringing together the extracted data to answer the systematic review's research question. The approach to synthesis depends on the nature of the data and the homogeneity of the included studies.

1. **Narrative Synthesis:** If studies are heterogeneous in terms of design, population, intervention, or outcome measures, a narrative synthesis may be appropriate. This involves a descriptive summary of findings from individual studies, identifying patterns, inconsistencies, and key themes across the literature.
2. **Meta-analysis:** If studies are sufficiently homogeneous, quantitative data can be pooled statistically

using meta-analysis. This technique combines results from multiple studies to generate a single, more precise estimate of an effect. Meta-analysis requires specialized statistical software and expertise and is typically preceded by a thorough assessment of heterogeneity.

Regardless of the method, the synthesis must critically interpret the findings, address limitations, and present a coherent answer to the research question. This synthesis is the culmination of all previous efforts in how to write a systematic review article.

Assessing Risk of Bias and Study Quality

An essential component of any rigorous systematic review is the critical appraisal of the methodological quality and risk of bias within each included study. This assessment helps to understand the trustworthiness of the studies' findings and their potential impact on the overall conclusions of the review. It prevents undue weight from being given to studies with significant methodological flaws.

Omitting this step would compromise the credibility of the systematic review, underscoring its importance in how to write a systematic review article.

Tools for Risk of Bias Assessment

Several validated tools are available to assess the risk of bias in different study designs. The choice of tool depends on the type of studies included in your review:

- **Cochrane Risk of Bias Tool (RoB 2):** For randomized controlled trials (RCTs). It assesses bias across five domains: bias arising from the randomization process, bias due to deviations from intended interventions, bias due to missing outcome data, bias in measurement of the outcome, and bias in selection of the reported result.
- **ROBINS-I Tool:** For non-randomized studies of interventions. This tool assesses seven domains: confounding, selection of participants into the study, classification of interventions, deviations from intended interventions, missing data, measurement of outcomes, and selection of the reported result.
- **Newcastle-Ottawa Scale (NOS):** Commonly used for observational studies (cohort, case-control studies) to assess selection, comparability, and outcome.
- **JBICritical Appraisal Tools:** The Joanna Briggs Institute offers a range of tools for various study designs, including qualitative studies, prevalence studies, and diagnostic accuracy studies.

Like data extraction, risk of bias assessment should be performed independently by two reviewers, with discrepancies resolved through discussion or by a third party.

Interpreting Quality Assessments

The results of the risk of bias assessment must be critically interpreted and integrated into the systematic review's findings. It is not merely about assigning scores but understanding how methodological flaws might have influenced the study's results. Studies deemed to have a high risk of bias should be discussed cautiously, and their findings might be down-weighted or excluded from meta-analysis if their flaws are severe enough to undermine their validity.

The implications of the risk of bias assessment should be clearly articulated in the discussion section, explaining how it impacts the certainty of the evidence and the overall conclusions. This interpretation adds depth and transparency, crucial for a high-quality systematic review article.

Reporting Your Systematic Review

The final stage of writing a systematic review article involves clearly and comprehensively reporting all aspects of the review process and its findings. This ensures transparency, reproducibility, and the utility of your work for others. Effective reporting is as crucial as the research itself, allowing readers to critically appraise the review and understand its contribution to the evidence base.

Adherence to established reporting guidelines is essential for maximizing the impact and credibility of your systematic review.

Adhering to PRISMA Guidelines

The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement is an evidence-based minimum set of items for reporting in systematic reviews and meta-analyses. Adhering to PRISMA guidelines is universally recognized as best practice and often required by journals. The PRISMA checklist consists of 27 items covering various sections of a systematic review, including the title, abstract, introduction, methods, results, discussion, and funding.

A key component of PRISMA is the PRISMA flow diagram, which visually depicts the flow of information through the different phases of the systematic review, from the number of records identified to the number of studies included in the review. Using PRISMA significantly improves the clarity, completeness, and transparency of your systematic review article.

Structuring the Manuscript

A systematic review manuscript generally follows a standard scientific article structure, adapted to the specific requirements of a review:

- **Title:** Clear, concise, and indicative of the review's topic.

- **Abstract:** Structured summary (background, methods, results, conclusion).
- **Introduction:** Background, rationale, and clear statement of the research question.
- **Methods:** Detailed description of the protocol (search strategy, eligibility criteria, data extraction, risk of bias assessment, synthesis methods). This section should be highly reproducible.
- **Results:** Presentation of search results (PRISMA flow diagram), characteristics of included studies, results of risk of bias assessment, and synthesized findings (e.g., forest plots for meta-analysis, thematic summaries for narrative synthesis).
- **Discussion:** Interpretation of findings, comparison with existing literature, limitations of the review, strengths, implications for practice and research.
- **Conclusion:** Concise summary of the main findings.
- **References and Appendices:** All cited sources, full search strategies, data extraction forms, and detailed risk of bias assessments.

Each section must be detailed and flow logically, contributing to a comprehensive systematic review article.

Dissemination and Publication

After completing the systematic review manuscript, the final step is its dissemination and publication. Selecting an appropriate journal is crucial, considering its scope, impact factor, and whether it aligns with the subject matter of your review. Most reputable journals require systematic reviews to adhere to PRISMA guidelines and often ask for the protocol to be registered.

Beyond traditional journal publication, consider presenting your findings at conferences, sharing them through institutional repositories, or publishing plain language summaries for broader audiences. Effective dissemination ensures that the valuable evidence you have synthesized reaches those who can benefit from it, fulfilling the ultimate purpose of how to write a systematic review article.

Challenges and Best Practices

Writing a systematic review article, while rewarding, is not without its challenges. Researchers often encounter hurdles that can impact the efficiency, rigor, and ultimate success of their review. Being aware of these common pitfalls and adopting best practices can significantly streamline the process and enhance the quality of the final output. Anticipating and mitigating these issues is a mark of a seasoned systematic reviewer.

Developing strategies to overcome these obstacles is an integral part of mastering how to write a systematic review article.

Common Pitfalls to Avoid

Several common pitfalls can undermine the quality and credibility of a systematic review. Avoiding these requires careful planning and execution:

- **Poorly Defined Research Question:** A broad or ambiguous question leads to an unmanageable search and unfocused results.
- **Inadequate Search Strategy:** Missing relevant studies due to insufficient database coverage or inappropriate search terms compromises comprehensiveness.
- **Lack of Protocol Registration:** Increases the risk of reporting bias and reduces transparency.
- **Single Reviewer Bias:** Conducting screening or data extraction by only one person introduces significant bias and reduces accuracy.
- **Inconsistent Application of Criteria:** Varied application of inclusion/exclusion criteria across studies can lead to erroneous selections.
- **Ignoring Risk of Bias:** Failing to critically appraise included studies can lead to unreliable conclusions.
- **Selective Reporting of Outcomes:** Presenting only favorable outcomes can skew the review's findings.
- **Insufficient Reporting:** Not adhering to guidelines like PRISMA makes the review difficult to appraise and reproduce.

Proactive measures against these pitfalls are crucial when learning how to write a systematic review article.

Ensuring Rigor and Reproducibility

Rigor and reproducibility are foundational to the scientific merit of any systematic review. To ensure these qualities, several best practices should be consistently applied:

- **Team Approach:** Involve at least two, preferably three, independent reviewers for critical stages like screening, data extraction, and risk of bias assessment. This minimizes individual biases and errors.

- **Standardized Procedures:** Develop clear, written protocols and pilot test all forms (e.g., data extraction forms, risk of bias tools) to ensure consistency across reviewers.
- **Detailed Documentation:** Maintain meticulous records of every step, including search strategies (with dates), reasons for exclusion at full-text review, and any discrepancies and their resolutions.
- **Software Utilization:** Employ specialized systematic review software (e.g., Covidence, Rayyan) and reference managers (e.g., EndNote, Zotero) to streamline processes and maintain an audit trail.
- **Adherence to Reporting Guidelines:** Strictly follow PRISMA guidelines for transparent and comprehensive reporting.
- **Peer Review:** Engage in internal and external peer review of your protocol and manuscript to identify potential weaknesses before submission.

These practices collectively contribute to producing a high-quality, trustworthy systematic review article.

Final Considerations for Systematic Review Articles

Completing a systematic review article is a significant academic achievement, contributing valuable synthesized evidence to the scientific community. The journey from conception to publication is demanding, requiring patience, precision, and adherence to established methodological principles. A well-executed systematic review not only answers specific research questions but also highlights gaps in current knowledge, thereby guiding future primary research.

Ultimately, the goal is to produce a resource that is both reliable and impactful, informing practice and policy with the highest quality evidence available. Continuously engaging with new methodological developments and reporting standards will ensure that systematic reviews remain at the forefront of evidence synthesis.

Q: What is the primary difference between a systematic review and a narrative review?

A: The primary difference lies in their methodology and objectivity. A systematic review employs explicit, predefined methods to identify, select, critically appraise, and synthesize all relevant studies on a specific research question, minimizing bias and ensuring reproducibility. In contrast, a narrative review often relies on the author's expertise and selective literature choices, which can introduce bias and may not provide a comprehensive summary of all available evidence.

Q: Why is a protocol important for a systematic review?

A: A protocol is crucial because it serves as a detailed plan of the systematic review methodology developed before the review begins. It enhances transparency, reduces the risk of reporting bias by pre-specifying objectives and methods, and ensures the review is reproducible. Registering the protocol (e.g., on PROSPERO) also helps prevent duplication of efforts and provides a timestamp for the review's design.

Q: What are PRISMA guidelines, and why are they important?

A: PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) is an evidence-based minimum set of items for reporting systematic reviews and meta-analyses. They are important because they provide a standardized checklist and flow diagram that helps authors ensure their reports are complete, transparent, and accurate. Adhering to PRISMA improves the quality and usefulness of systematic reviews, making them easier for readers to understand, critically appraise, and apply.

Q: How many reviewers are typically involved in a systematic review, and for what stages?

A: Typically, at least two independent reviewers are involved in critical stages of a systematic review. This dual-reviewer approach is essential for:

- Screening titles and abstracts.
- Screening full-text articles.
- Data extraction.
- Risk of bias assessment.

Having two reviewers minimizes individual bias and errors, with a third reviewer often used to resolve discrepancies.

Q: What is risk of bias assessment, and what tools are used?

A: Risk of bias assessment is the critical appraisal of the methodological quality of individual studies included in a systematic review. Its purpose is to evaluate the likelihood that a study's design, conduct, or analysis might have introduced systematic errors, thereby affecting its results. Tools used depend on the study design: the Cochrane Risk of Bias Tool (RoB 2) is used for Randomized Controlled Trials (RCTs), ROBINS-I for non-randomized studies of interventions, and the Newcastle-Ottawa Scale (NOS) for

observational studies (cohort, case-control).

Q: What is the difference between qualitative and quantitative synthesis of findings?

A: Qualitative synthesis, often a narrative synthesis, involves describing and summarizing the findings of included studies without statistical pooling. It's used when studies are too heterogeneous for statistical combination. Quantitative synthesis, or meta-analysis, involves statistically combining numerical data from multiple studies to produce a single, more precise estimate of an effect. This is possible when studies are sufficiently homogeneous in their design, interventions, and outcome measures.

Q: How can one ensure the search strategy for a systematic review is comprehensive?

A: To ensure a comprehensive search strategy, researchers should:

- Consult multiple relevant electronic databases (e.g., PubMed, Embase, Web of Science).
- Utilize both controlled vocabulary (e.g., MeSH terms) and free-text keywords, including synonyms and variations.
- Employ Boolean operators, truncation, and wildcards effectively.
- Search for grey literature (e.g., conference abstracts, dissertations, trial registries).
- Manually check the reference lists of included studies and relevant reviews.
- Adapt the search strategy syntax for each unique database.

[How To Write A Systematic Review Article](#)

How To Write A Systematic Review Article

Related Articles

- [formulating a research question for literature review](#)
- [mla annotated bibliography example pdf](#)

- [how to write a good curriculum vitae pdf](#)

[Back to Home](#)